

11049

McCormick

QR SPH w/65" LAH

Serial Number: 2011 65" AIRHEAD

Customer: McCORMICK FARMS

Dealer: HJV EQUIP

<i>Standard Equipment:</i>		<i>Special Notes</i>
Full Width Digger Bed		
QSM 360 HP Cummins Engine		
4 Wheel Drive		
Rear Tires: 6600-43 x 25 Terra		
Front Tires: 1400-24 x 12 Tires		
40" Cross		
MS 50 Rear Motors		
Front Steps		
Strobe Light		
Back-Up Beeper		
	<i>Options</i>	
* 40" Air Head		
* 50" Air Head		
* 65" Air Head	X	NEW STYLE
Leveling:of AIRHEAD		
* Mechanical		
* Electrical	X	
Engine		
* QSM-360 HP Cummins		
* QSM-400 HP Cummins		
* 9 Liter- 350 HP John Deere		
* 13.5 Liter 400 HP John Deere		
* QSX-450 HP Cummins	X	QSX WITH REVERSING FAN
* QSX -510HP Cummins		
*13.5 Liter 500 John Deere		
* 13.5 Liter 450 John Deere		
Rear Tires		
* 6600-43 x 25 Terra	X	RIMS ONLY
* 73x5000_-32		
Front Tires:		
*17.5 x 24		
*1400 x 24 x 12		
*4800 x 25 x 12	X	RIMS ONLY SPACED OUT AWAY FROM THE ROW RIGHT SIDE INSIDE OF TIRE IN LINE WITH THE RIGHT HAND NOSE LH TIRE CENTER OF THE ROW
Steering:		
*No Rear Steering		
*37 Degree Rear Steering	X	
Front Wheel Motors:		
*MS 18		
*MS 18 Plus 20%	X	
Rear Wheel Motors:		
*MS 50		
*MS 83	X	
Row Spacing		
* 32" with 30" chain		

Serial Number: 2011 65" AIRHEAD

Customer: McCORMICK FARMS

Dealer: HJV EQUIP

* 34" with 32" chain		
* 36" with 33" chain		
* 36" with 34" chain	X	CONFIRM THIS IS THE CHAIN YOU HAVE
* 38" with 36" chain		
Digger Blade Bracket		
* Standard		
* Rock Guard	X	ADD EXTRA SPACE BETWEEN ROLLERS
Digger Blades		
* Regular Straight		AND BLADE BRACKET LIKE WE DO FOR NY
* Extended Straight		EXTEND 4 INCH
* Clod Blades		
* Sand Blades		
* Full Width Solid Blade 3/4" x 12"		
* Regular Straight w/ Plastic Under	X	
* Full Width Solid 3/4" X 12 w/ Bevel		
* Full Width Solid 3/4" X 12 w/ Rod		
Center Blades		
* 12"		
* 15"	X	
Primary Bed		
* Full Width Common Lift		
* Full Width Side to Side Control	X	
Primary Drive		
* Top Drive		
* Reverse Drive	X	
Primary Bed Chains		
* Single Width Belted		
* Double Width Belted	X	
Primary Belted Chains		
* 45 mm All Straight Belted Chains		
* 45 mm 2 Down & 1 Straight Belted Chains		
* 50 mm All Straight Belted Chains		
* 50 mm 2 Down & 1 Straight Belted Chains		
* 50 mm 1 Up & 2 Down Belted Chains		
* 56 mm All Straight Belted Chains		
Lockwood Style Chain, Double Belt Middle		
Double Width Single Belt Middle	X	
Secondary Bed Chains		
* Single Belted SRT		
* Full Belted SRT	X	
Secondary Belted Chains		
* 45 mm All Straight SRT		
* 45 mm 2 Down & 1 Straight SRT	X	
* 50 mm All Straight SRT		
* 50 mm 2 Down & 1 Straight SRT		
2nd Secondary		
* No 2nd Secondary		

457
Pax enclosed

Manufacturing Use Only

AFE Manufacturing Form
4 Row Self Propelled Harvester w/ Airhead

Serial Number: 2011 65" AIRHEAD
Customer: McCORMICK FARMS
Dealer: HJV EQUIP

*2nd Secondary Belted Chain		
2nd Secondary Belted Chain Width		
*No Second Secondary		
*Single Belted Chains		
*Full Belted SRT		
2nd Secondary Belted Chains		
*No 2nd Secondary		
*45mm All Straight SRT		
*45mm 2 Down & 1 Straight SRT		
*50mm All Straight SRT		
*50mm 2 Down & 1 Straight SRT		
2nd Secondary Star Table Options		
* No Star Table Option		
* 5 Stars with Distributor Stars on Cross		
* 6 Stars with 2 Adjustable Smooth Roll and Distributing stars on cross, extra star roll on left	X	1/2 TABLE WITH THE SEGEMENTED ROLLERS FROM SPUDNIK NO EXTRA STAR ON THE LEFT 2 SEGEMENT 1 SMOOTH 1 SEGEMENT DIST STARS RIGHTSIDE ONLY
Primary Drive Option		
* 6,000 Hydraulic Motor w/Chain		
* 6,000 Hydraulic Motor w/Gear Box	X	
* VIS Direct Drive Motor		
Secondary Drive Option		
* 6,000 Hydraulic Motor w/Chain		
* 6,000 Hydraulic Motor w/Gear Box	X	
2nd Secondary Drive Option		
*No Secondary		
*6,000 Hydraulic Motor w/Chain		
*6,000 Hydraulic Motor w/Gear Box		
Deviner Drive Option		
* 6,000 Hydraulic Motor w/ Chain		
* 6,000 Hydraulic Motor w/ Gear Box	X	
Reversing Valve Option		
*No Reversing Valves		
*Primary	X	
*Secondary-Deviner	X	
*2nd Secondary		
Vibrator		
*No Vibrator		
*Rotating Hydraulic Shaker Primary	X	THOUGHT THIS WAS WHAT YOU PRICED
*Rocking Hydraulic Shaker Primary		
*Rotating Hydraulic Shaker Secondary		
*Lift in Shaker		
Override Chain		
*150 mm	X	
*180 mm		
*200 mm		
Vine Coulters		

Rocking
Vibrator

Serial Number: 2011 65" AIRHEAD

Customer: McCORMICK FARMS

Dealer: HJV EQUIP

*Double Disk Coulters-Shorter Hub-Spudnik	X	SINGLE STRAIGHT DISK
*Kickers		
Bulk Loader		
*35"		
*40"	X	
Bulk Loader Chain		
*40 mm All Straight SRT		
*45 mm All Straight SRT	X	
Self Leveling System		
*No Leveling System		
*Hydraulic Rear Cross & Side Elevator	X	
Rear Cross		
*40" Cross		
*48" Cross	X	
Rear Cross Chain		
* 45 mm All Straight SRT		
* 50 mm All Straight SRT	X	I THINK THIS IS WHAT WE RUN
Rear Cross Table Option		
*No Star Table Chain Only		
*Star Table		
Vine Belt Option-Top Side Elevator Return Conveyor		
*No Vine Belt	X	MCCORMICK TABLE WITH 4.5" HOLES IN SIZING BELT
*40" Vine Belt w/Fan and Distributing Stars		
*50" Vine Belt w/Fan and Distributing Stars		
*65" Vine Belt w/Fan and Distributing Stars		
*40" Vine Belt w/Fan and Stars w/Distributing Stars and Steel Roll leading onto Vine Belt		
*50" Vine Belt w/Fan and Stars w/Distributing Stars and Steel Roll leading onto Vine Belt		
*65" Vine Belt w/Fan and Stars w/Distributing Stars and Steel Roll leading onto Vine Belt		
Lower Side Elevator Ellis Star Table		
*No AFE Table	X	
*AFE Table		
M-Table		
*No M-Table Option	X	
*40" with Dist Stars		
*50" with Dist Stars		
*65" with Dist Stars		
Sort Table or Bin Fill		
*No Sort Table (if ordering Bin)	X	
*35"		
*40"		
Sort or Bin Fill Table Belted Chain		
*No Belted Chain		
*45mm All Straight SRT	X	
*50mm All Straight SRT		
Stone Conveyor		
*Beltd Chain	X	
*Hook Chain		

Serial Number: 2011 65" AIRHEAD

Customer: McCORMICK FARMS

Dealer: HJV EQUIP

Bin		
*No Bin		
*Bin with In Tank Fill Conveyor and Sonic Con	X	
*35" Fill Conveyor		
*40" Fill Conveyor	X	
* Flights on Belt, "V" shaped every 24"	X	
Hydraulic Gauges		
* Electronic	X	NEW REMOTE DIAGNOSTIC PROTO SYSTEM
* Mechanical		
Camera Systems:		
Deflector for AirHead Discharge:	X	
Flow Controls		
*Flow Control with Actuator		
*Flow Control with Actuator and Gauge	X	TOPSIDE, CROSS, BIN FILL, BULKLOADER
Primary Plates: 4" extensions on outside		CONTROLLED IN CAB, DIST STAR END OF
Raise Cab 12":	X	CROSS
Stone Conveyor Flooring:		
*Open under Airhead	X	
*Solid under Airhead		
Comments:		
SEAT BY THE STONE CONVEYOR 6000 MOTORS ON THE BOTTOM SIDE, TOP SIDE, REAR CROSS CONVEYORS STAINLESS STEEL PANS FOR PRIMARY MOUNTED BACK FARTHER LIKE WE HAD DO TO MARQUARTS SO STONES DONT CATCH FOLD OVER STONE BOX SYSTEM WILL HAVE AUTO UP/DN SHIFT		
Estimated Delivery Date:		Date:
Customer:		Date:
Dealer:		Date:
Manufacturer:		Date:

Manufacturing Use Only

AFE Manufacturing Form
4 Row Self Propelled Harvester w/ Airhead

Serial Number: 2011 65" AIRHEAD

Customer: McCORMICK FARMS

Dealer: HJV EQUIP

Please Indicate Noffsinger or Broekema (N=Noffsinger / B=Broekema)

Mfg.	Chain/Location	Qty	Rod Size	Width	MM	LPR	Pattern	Covering
N	Primary	2	1/2	69	50		2DN1ST	PLAIN
N	Secondary	2	7/16	69	50		ST	SRT
N	Deviner	2	7/16	69	150		ST	C. Cell
N	Cross	1	7/16	48	50		ST	SRT
N	Lower Side	1	1/2	65	45		ST	PLAIN
N	Upper Side	1	7/16	65	45		1U10ST	SRT
N	BulkLoader	1	7/16	40	45		ST	SRT
N	Bin Fill	1	7/16	40	45		ST	SRT
N	Belted Stone	1	7/16	14	28		ST	PLAIN

1- H45 MIDE4X
 3- H45 MIDE4
 H45 MIDRE4X
 H45 MIDRB5X
 H45 MIDRB5X
 H28 M12B5

Deviner is a 3 belt with skinny belt in middle

